

PRODUCT DATASHEET

LED COLOR+WHITE 19 W/830

LED COLOR + WHITE | LED wall and ceiling luminaire with remote control for white light and RGB color adjustment

AREAS OF APPLICATION

- Indoor applications
- Mood lighting



PRODUCT BENEFITS

- Bright panel, uniformly lit with warm white light
- Bezel illumination with constant or automatically changing color
- Comfortable and intuitive remote control
- Switching, dimming in 5 steps and color control with the push of a button
- Clean design, allows for an easy combination with various room styles

PRODUCT FEATURES

- 2 in 1 LED luminaire for white and colored light
- Available in round and square form



TECHNICAL DATA

Electrical data

Operating mode	Electronic control gear (ECG)
Nominal wattage	19.00 W
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000 K
Luminous flux	780 lm
Light color (designation)	Warm White
Color rendering index Ra	>80

Dimensions & weight

Diameter	198.0 mm
Height	38.0 mm
Product weight	620.00 g

Colors & materials

Body material	Metal
Product color	White

Capabilities

Dimmable	Yes
Type of connection	Screw terminal

Certificates & standards

Protection class	II
Type of protection	IP20
Standards	CE/REACH/RoHS

EQUIPMENT / ACCESSORIES

- Remote control and battery included
- Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
--------------	---------------------	---------------------------------	---	--------	--------------

4052899448186	LED COLOR+WHITE 19 W/830	Shipping carton box 8	430 mm x 220 mm x 200 mm	18.92 dm ³	6541.00 g
---------------	-----------------------------	--------------------------	-----------------------------	-----------------------	-----------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.