

KEENETIC



TITAN

AX3200 Mesh Wi-Fi 6 Multi-Gigabit Router with Dual Core ARM CPU, a 5-Port Gigabit and 1-Port 2.5 Gigabit Smart Switch, USB 2.0 and USB 3.0 Ports

- Continuous Fast Reliable Internet
- Cutting Edge Wi-Fi Coverage
- IntelliQoS Traffic Prioritization
- Smooth 4K UHD Video Streaming
- Cyberthreat Protected & Family Safe
- Powerful Network Storage & Personal Cloud

UNIQUE WHOLE HOME AND MESH WI-FI CAPABILITIES

Wi-Fi is a core essential of the modern home. Keenetic routers deliver reliable, continuous and secure Wi-Fi throughout your home. Starting from one main Keenetic router, as your demand grows, you can add Keenetics as Wi-Fi extenders to grow from a single node system to a centrally managed multi-node Whole-Home Wi-Fi System. Wi-Fi System configuration can be optimized depending on your personal performance and usage requirements through leveraging existing Ethernet wiring to connect extenders or using wireless Mesh connections. The multi-node Keenetic Wi-Fi System will ensure seamless roaming throughout your home regardless of its structure and dimensions.

CONTINUOUS RELIABLE INTERNET

Your Keenetic gives you the freedom to use more than one ISP regardless of the connection types and service packages you have signed up for. A real stand out feature of your Keenetic is the capacity to connect easily to multiple ISPs simultaneously for failover and load balancing using Multi-Gigabit Ethernet, Wi-Fi, and 4G/3G links. If you experience a break in service from an ISP, your Keenetic router will automatically and seamlessly switch to a different working ISP so your smart home will stay smart 24/7.

ROBUST CYBERTHREAT PROTECTION

Your Keenetic comes with security options preconfigured for safe operation in the home, right out of the box. Like no other home router Keenetic deploys bank-grade digital HTTPS certificates to secure device management sessions, offers network segmentation to isolate and guard the traffic of smart home IoT gadgets, and performs fully automatic regular software updates to maintain constant market-leading levels of security, reliability, performance.

PARENTAL CONTROL TOOLS

Keenetic has cloud-based Content Filtering and Ad Blocking options from AdGuard, CleanBrowsing, Cloudflare, Neustar, NextDNS, OpenDNS, Quaud9 and SafeDNS. Undesirable images or information, time-stealing games, and social media as well as aggressive round the clock marketing can all be managed and kept out of your family life. Each member of your family has an individual content filtering profile and scheduling function – only allowing Internet access when you choose. With one click, you can control your children's Internet usage.

CONTINUOUS MONITORING AND REMOTE NETWORK CONTROL

The built-in Keenetic remote management and monitoring option is cloud controller software designed specifically for Keenetic, a powerful tool offering continuous and detailed operational feedback on user activity, devices attached, network traffic, system breaches, and ISP performance. Network detail is viewable in real-time and in scheduled ad hoc reports. The cloud-based controller offers several options to actively manage the network remotely, such as resolving alerts and reassigning network assets. Keenetic remote monitoring and management system improves users' timely knowledge of issues vital to productivity, systems security and business analysis. Keenetic remote management and monitoring option is pre-loaded and activated by simple registration.

SMART HOME AND IOT-READY

Keenetic Mesh Wi-Fi Routers' superb coverage, uninterrupted connections and enhanced security make them ready for tomorrow's fully-connected home and business environments. Connected devices suffer virus and other criminal attacks — Keenetic routers have advanced Network Segmentation and Cloud-based cyberthreat protection to stop infection and prevent Spyware on any device in your Keenetic network. Using the IntelliQoS application prioritization feature, Keenetic users can prioritize, throttle or block individual applications to ensure bufferless streaming and fast, lag-free, gaming, and be confident that their work from home experience will be uninterrupted.

POWERFUL NETWORK STORAGE & PERSONAL CLOUD

Connect an external USB disk to a Keenetic router to enable a network server to process backups and remote file sharing with your family or co-workers. Keenetic offers the simplicity of fully automated network backups using macOS Time Machine or Windows File History applications simultaneously. Download Station and Media Server router applications transform Keenetic with a connected USB drive into a centralized entertainment server to enjoy up to 4K media streaming to your Smart TV. Personal Cloud enables easy access to all your files, even from your mobile devices.


FULLY CAPABLE FOR COMPLEX BUSINESS NEEDS

With your Keenetic, you can take advantage of affordable business-class performance, security, and reliability. Keenetics are perfect for home offices and teleworkers, smaller offices and businesses like most retailers, medical and dental offices, real estate agencies, and small hospitality providers, including bars and restaurants. Keenetic delivers easy to use genuine business-class features on a multi-node Wi-Fi System offering many advantages:

- Uninterrupted connectivity with built-in redundancy and load balancing;
- Heightened employee productivity through continuous access and comprehensive protection from hackers, viruses, and other threats;
- Secure connectivity for branch offices, road warriors, and telecommuters using Virtual Private Networking (VPN) technology;
- Protection against information leaks employing traffic and network resources segmentation;
- Improved customer engagement and sales opportunities through the ability to offer free Wi-Fi to your visitors with several built-in hotspot options;
- The built-in Keenetic remote management and monitoring option offers cloud-based multi-site remote monitoring and management for continuous control.

FRIENDLY, EASY TO USE APP

By pairing your Keenetic device to the Keenetic App, you can manage your multi-node Mesh Wi-Fi System, including multiple locations, from anywhere in the world. Within minutes, you can control home networks, see connected and registered devices, and enable securely isolated Wi-Fi for your guests. Setting up weekly schedules for members of your family, monitoring their Internet activity, managing content restrictions or pausing the Internet from the palm of your hand could not be simpler.



KEY FEATURES

- **Model number:** KN-1811
- **CPU:** MT7622B 1350 MHz, dual core
- **RAM:** 512 MB DDR3
- **Flash memory, Dual Image:** 256 MB
- **Wi-Fi 2.4 + 5 GHz**
- **Wi-Fi class:** AX3200
- **Antennas:** 5 dBi
- **Bluetooth:** Bluetooth 5.1*
- **Ethernet ports:** 5 x 1 Gbps, 1 x 2.5 Gbps
- **Wi-Fi/WPS button**
- **FN button:** Yes, two buttons
- **USB:** 1 x USB 2.0, 1 x USB 3.0
- **3G/4G connection:** Via a compatible USB modem
- **Telephony support:** With Keenetic Linear (sold separately)
- **Wi-Fi System**

PERFORMANCE

- **2,4 GHz Wi-Fi network:** 800 Mbps**
- **5 GHz Wi-Fi network:** 2402 Mbps**
- **IPoE/PPPoE routing:** Up to 2500 Mbps
- **L2TP/PPTP routing:** Up to 800 Mbps
- **Reading from a USB drive:** Up to 100 MB/s (USB 3.0)

WIRELESS NETWORK

- Seamless roaming 802.11k/r/v
- MU-MIMO
- Airtime Fairness
- Beamforming
- OFDMA
- Pre-configured Wi-Fi protection
- WEP, WPA-PSK
- WPA2-PSK, WPA2-Enterprise
- WPA3-PSK, WPA3-Enterprise, OWE
- Multi-SSID and Guest Network
- Access control by MAC address
- Wi-Fi Multimedia (WMM)

USB APPLICATIONS

- Mobile broadband modem support
- RAS, NDIS, CDC-Ethernet, QMI support
- File server and personal cloud
- FAT, FAT32, exFAT, NTFS, EXT2, EXT3, EXT4, HFS+ support
- CIFS/SMB
- AFP
- FTP, SFTP
- WebDAV
- Time Machine, File History support
- Support for third-party extension packages from the Entware and Debian repositories
- Download Station
- File server
- Media server
- Print server***

FEATURES AND PROTOCOLS

- IPoE, PPPoE, PPTP, L2TP, 802.1x
- Multi-WAN
- Policy routing
- Internet connection backup
- Ping Check connectivity monitor
- PPPoE/PPTP/L2TP pass-through
- VLAN IEEE 802.1Q
- Link aggregation
- Routing table (DHCP/Manual)
- IntelliQoS 2.0
- DHCP (client/server)
- IPv6 Dual Stack
- NAT
- IGMP
- UDP to HTTP proxy
- UPnP
- Manual port forwarding
- SPI firewall with protection against DoS attacks
- PPTP (client/server)
- L2TP over IPSec client/server
- OpenVPN client/server
- SSTP client/server
- Ethernet-over-IP, IP-IP, GRE
- IPsec VPN (client/server)
- WireGuard
- Dynamic DNS client
- Direct or cloud access via KeenDNS
- HTTPS security for access via KeenDNS
- SafeDNS parental control
- AdGuard ad blocker
- Traffic statistics per client
- Bandwidth limit per client
- Access schedule per client or interface
- Guest hotspot with authentication (Captive Portal)

TROUBLESHOOTING AND MANAGEMENT


- Cloud-based Remote Network Monitoring and Management
- Mobile app for Android and iOS
- Web Interface with the Initial Setup Wizard and HTTPS security
- Command Line (CLI) via TELNET/SSH
- An option to control from external network
- Backup and restore configuration
- Automatic OS updates
- System event logging

PHYSICAL SPECIFICATIONS AND ENVIRONMENT REQUIREMENTS


- **Device dimensions excluding antenna, w x d x h:** 214 mm x 154 mm x 33 mm
- **Device weight:** 500 g
- **Operating temperature:** 0–40 °C
- **Operating humidity:** 20 – 95% non-condensing
- **Power supply voltage:** 100-240V 50/60 Hz

PACKAGE CONTENTS

- Device
- Power adapter
- Ethernet cable
- Quick start guide



1. Status LED
2. Internet LED
3. FN1 LED
4. FN2 LED
5. Wi-Fi LED
6. Wi-Fi Control Button
7. Wi-Fi Antennas
8. DC Power Socket
9. Network port 0, WAN by default
10. Network ports 1-4, LAN by default
11. Network port 5, 2.5 Gbps, LAN by default
12. Reset Button
13. Programmable FN1 Button
14. USB 3.0 Port
15. Programmable FN2 Button
16. USB 2.0 Port



ORDERING INFORMATION

Model name	Part number	Short description
Keenetic Titan (KN-1811)	KN-1811-01-EU-UK	AX3200 Mesh Wi-Fi 6 Multi-Gigabit Router with Dual Core ARM CPU, a 5-Port Gigabit and 1-Port 2.5 Gigabit Smart Switch, USB 2.0 and USB 3.0 Ports

* For future applications.

** 2402 and 800 Mbps are maximum wireless signal rates derived from the 802.11ax/802.11n 256-QAM specifications, used when connecting to clients using four spatial streams and an 80/40 MHz channel bandwidth for transmission and reception. Actual data throughput and wireless coverage will vary and may be lowered by the features and settings of the equipment, the number of client devices in the network, obstacles to signal propagation, the presence of other wireless networks, and/or radio interference.

*** Except for GDI models.

KEENETIC

© Keenetic Ltd., 2023. All rights reserved.

Names of products or companies mentioned herein may be the trademarks or service marks of their respective owners. Keenetic Ltd. reserves the right to make changes and improvements to any product without prior notification.