




21630-679 VARISTAR CP SWING CABINET FRAME FOR 800 MM WIDTH, 120°, 47 U







#### Any Equipment Denth in mm

	9-	pinenti	- op		•			
Cabinet Width in mm	Swing Frame version	Swing Frame mounting position	75 mm recess (standard position)		112.5 mm recess		162.5 mm recess	
			SlimLine	HeavyDuty	SlimLine	HeavyOuty	SlimLine	HeavyDuty
600	120°	middle			200			
800	120°	middle	380	365	380			
		left/right	515	500		515		
	160°	middle	330	305	330	305	3	30
1		left/right	470	455	470	455	470	455
[	75 mm (Recess		160	mid			]+	St.

# **KEY FEATURES**

For full height or partial-height mounting

Pivot point can be selected right or left

Can accommodate 19" chassis and 19" subracks

120° / 160° hinge, square locks including 2 keys

Load-carrying capacity 150 kg

Usable height within the swing frame is 4U lesser than the frame height to which the swing frame is attached to.

## **PRODUCT ATTRIBUTES**

Product Type: Cabinet/Rack Frame

Product Family: Varistar CP

Material: Steel

Color: Black Grey

Color Code: RAL 7021

Rack Height: 47 U

Height: 2200 mm

Width: 800 mm

Protection Rating: IP20

## ADDITIONAL PRODUCT DETAILS

The 19" swing frame allows the installation of sub-racks while simultaneously making wiring at the rear accessible.

Varistar CP swing frame comes with 150 KG load capacity, 120° / 160° movement and flexible pivot point.

By aid of depth members 19" swing frames can be assembled directly on the cabinet frame or in depth-adjustable increments of 50 mm.

Please purchase the grounding kit separately.

### **North America**

All locations +1.763.422.2661 Chat with us: schroff.nyent.com

### Europe

Straubenhardt, Germany +49.7082.794.0 Betschdorf, France +33.3.88.90.64.90 Warsaw, Poland +48.22.209.98.35 Assago, Italy +39.02.932.7141 Chat with us: schroff.nvent.com

nVent.com

## Asia

Shanghai, China +86.21.2412.6943 Qingdao, China +86.532.8771.6101 Singapore +65.6768.5800 Shin-Yokohama, Japan +81.45.476.0271 Chat with us: schroff.nvent.com

### Middle East & India

Dubai, United Arab Emirates +971.4.378.1700 Bangalore, India +91.80.6715.2001 Istanbul, Turkey +90.216.250.7374 Chat with us: schroff.nvent.com



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER

© 2024 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.