

NETGEAR GS516PP Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Blau, Grau

Marke : NETGEAR

Artikel-Code: GS516PP-100EUS

Produktname : GS516PP



NETGEAR GS516PP. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 16. Vollduplex. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 32 Gbit/s. Netzstandard: IEEE 802.3ab, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u. Power over Ethernet (PoE). Rack-Einbau

Management-Funktionen		Design	
Switch-Typ *	Unmanaged		FCC 47 CFR Part15B (Class A) ICES-003 Class A EN 55024/55032/55035 (Class A) AS/NZS CISPR 32 VCCI BSMI
Quality of Service (QoS) Support	✓		CNS13438 KCC UL 62368-1 CB_IEC 60950-1 + IEC 62368-1 Ed-3 LVD EN60950-1+EN62368-1 Ed-2 Rpt AS/NZS 62368.1 Ed-2 BSMI CNS14336-1
Anschlüsse und Schnittstellen		Zertifizierung	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	16		
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)		
Netzwerk		Leistungen	
Netzstandard *	IEEE 802.3ab, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u	Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	2415333,9 h
10G-Unterstützung *	✗	Leistung	
Kupfer Ethernet Verkabelungstechnologie	10GBASE-T, 100BASE-T, 1000BASE-T	Netzteil enthalten *	✓
Vollduplex	✓	AC Eingangsspannung	100 - 240 V
Halb-Duplex	✓	AC Eingangsfrequenz	50 - 60 Hz
Auto MDI/MDI-X	✓	Stromverbrauch (max.)	316,1 W
Datenübertragung		Power over Ethernet (PoE)	
Routing-/Switching-Kapazität *	32 Gbit/s	Power over Ethernet (PoE) *	✓
MAC-Adressentabelle *	8000 Eintragungen	Power-over-Ethernet (PoE)-Typ unterstützt	PoE+
Wartezeit (1 Gbps)	12 µs	Anzahl Power over Ethernet plus (PoE+) Anschlüsse	16
Jumbo Frames Unterstützung	✓	Power over Ethernet (PoE) Leistung pro Anschluss	30 W
Jumbo-Frames	9216	Gesamtleistung Power over Ethernet (PoE)	260 W
Paketweiterleitungsrate (1 Gbit/s)	1448000 pps	Betriebsbedingungen	
Datenpaket-Pufferspeicher	0,192 MB	Betriebstemperatur	0 - 50 °C
Sicherheit		Temperaturbereich bei Lagerung	-20 - 70 °C
Warteschleifenplanungs-Algorithmen	Weighted Round Robin (WRR)	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Design		Luftfeuchtigkeit bei Lagerung	10 - 95%
Rack-Einbau *	✓	Höhe bei Betrieb	0 - 3000 m
Produktfarbe	Blau, Grau	Gewicht und Abmessungen	
Gehäusematerial	Metall	Breite	330 mm
LED-Anzeigen	Aktivität, Ventilatorausfall, Link, PoE, Leistung, Geschwindigkeit	Tiefe	207 mm
Anzahl Lüfter	2 Lüfter	Höhe	43 mm
		Gewicht	2,3 kg
		Logistikdaten	
		Warentarifnummer (HS)	85176990



0606449149258



606449149258

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.