



TP-Link TL-SG108 Netzwerk-Switch Unmanaged L2 Gigabit Ethernet (10/100/1000) Schwarz

Marke : TP-Link

Artikel-Code: TL-SG108

Produktname : TL-SG108



TP-Link TL-SG108. Switch-Typ: Unmanaged, Switch-Ebene: L2. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. Vollduplex. MAC-Adressentabelle: 4096 Eintragungen, Routing-/Switching-Kapazität: 16 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x. Wandmontage



Management-Funktionen		Multicast-Funktionen	
Switch-Typ *	Unmanaged	Multicast Unterstützung	✓
Switch-Ebene	L2	Protokolle	
Quality of Service (QoS) Support	✓	GARP VLAN Registration Protocol (GVRP)	✓
Anschlüsse und Schnittstellen		Design	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8	Rack-Einbau *	✗
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	Produktfarbe	Schwarz
Netzwerk		LED-Anzeigen	✓
Netzstandard *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	Wandmontage	✓
10G-Unterstützung *	✗	Zertifizierung	CE, FCC ,RoHS
Kupfer Ethernet Verkabelungstechnologie unterstützte Kabeltypen	10BASE-T, 100BASE-TX, 1000BASE-T Cat3, Cat4, Cat5, Cat5e	Energie	
Vollduplex	✓	Netzteil enthalten *	✓
Unterstützung Datenflusssteuerung	✓	AC Eingangsspannung	220 V
Auto MDI/MDI-X	✓	AC Eingangsfrequenz	50 Hz
Auto-Negotiation-Funktion	✓	Eingangsstrom	0.6 A
Selbstlernen von MAC-Adressen unterstützt	✓	Stromverbrauch (max.)	3,3 W
Auto-Alterung von MAC-Adressen unterstützt	✓	Power over Ethernet (PoE)	
Datenübertragung		Power over Ethernet (PoE) *	✗
Routing-/Switching-Kapazität *	16 Gbit/s	Betriebsbedingungen	
Transferrate	11,9 Mpps	Betriebstemperatur	0 - 40 °C
MAC-Adressentabelle *	4096 Eintragungen	Temperaturbereich bei Lagerung	-40 - 70 °C
Store-and-Forward	✓	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Jumbo Frames Unterstützung	✓	Luftfeuchtigkeit bei Lagerung	5 - 90%
Jumbo-Frames	16000	Gewicht und Abmessungen	
Datenpaket-Pufferspeicher	1,5 MB	Breite	158 mm
		Tiefe	101 mm
		Höhe	25 mm
		Verpackungsdaten	
		Mitgelieferte Kabel	AC
		Schnellstartübersicht	✓

Sicherheit		Verpackungsdaten	
Zugriffskontrollliste (ACL) IPv6-Einträge	11	Benutzerhandbuch	✓
IGMP-Snooping	✓	Betriebsanleitung	✓
		Verpackungsart	Box
		Logistikdaten	
		Warentarifnummer (HS)	85176990



8592978086725



0013201072820



013201072820

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.