

TP-Link TL-SG1005LP Netzwerk-Switch Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Schwarz

Marke : TP-Link

Artikel-Code: TL-SG1005LP

Produktname : TL-SG1005LP



TP-Link TL-SG1005LP. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 5. MAC-Adressentabelle: 2000 Eintragungen, Routing-/Switching-Kapazität: 10 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Power over Ethernet (PoE). Wandmontage

Management-Funktionen		Design	
Switch-Typ *	Unmanaged	Produktfarbe	Schwarz
Quality of Service (QoS) Support	✓	LED-Anzeigen	✓
Anschlüsse und Schnittstellen		Wandmontage	✓
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	5	Zertifizierung	FCC, CE, RoHS
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	Leistungen	
Netzwerk		Ventilatorlos	✓
Netzstandard *	IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Leistung	
10G-Unterstützung *	✗	Netzteil enthalten *	✓
Kupfer Ethernet Verkabelungstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T	AC Eingangsspannung	100 - 240 V
unterstützte Kabeltypen	Cat3, Cat4, Cat5, Cat5e, Cat6	AC Eingangsfrequenz	50 - 60 Hz
Unterstützung Datenflusssteuerung	✓	Stromverbrauch (max.)	47,5 W
Auto MDI/MDI-X	✓	Power over Ethernet (PoE)	
Auto-Negotiation-Funktion	✓	Power over Ethernet (PoE) *	✓
Selbstlernen von MAC-Adressen unterstützt	✓	Anzahl Power over Ethernet plus (PoE+) Anschlüsse	4
Auto-Änderung von MAC-Adressen unterstützt	✓	Gesamtleistung Power over Ethernet (PoE)	40 W
Datenübertragung		Betriebsbedingungen	
Routing-/Switching-Kapazität *	10 Gbit/s	Betriebstemperatur	0 - 40 °C
Transferrate	7,44 Mpps	Temperaturbereich bei Lagerung	-40 - 70 °C
MAC-Adressentabelle *	2000 Eintragungen	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Store-and-Forward	✓	Luftfeuchtigkeit bei Lagerung	5 - 90%
Jumbo Frames Unterstützung	✓	Wärmeableitung	161,98 BTU/h
Jumbo-Frames	16000	Gewicht und Abmessungen	
Sicherheit		Breite	99,8 mm
IGMP snooping	✓	Tiefe	98 mm
		Höhe	25 mm
		Verpackungsdaten	
		Benutzerhandbuch	✓

Design

Rack-Einbau *

**Logistikdaten**

Warentarifnummer (HS)

85176990



6935364052737



6935364052720

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-MAY-2023. Prints or copies of Information are only valid on the printed Publication date