

## TP-Link Archer GXE75 WLAN-Router 2.5 Gigabit Ethernet Tri-Band (2,4 GHz/5 GHz/6 GHz)

Marke : TP-Link

Produktfamilie: Archer

Artikel-Code: ARCHER GXE75

Produktname : GXE75

TP-Link Archer GXE75. WAN-Verbindungstyp: RJ-45. WLAN-Band: Tri-Band (2,4 GHz/5 GHz/6 GHz), Top WLAN-Standard: Wi-Fi 6E (802.11ax), WLAN-Standards: Wi-Fi 6E (802.11ax). Schnittstellentyp Ethernet-LAN: 2.5 Gigabit Ethernet, Ethernet LAN Datentransferraten: 1000,2500 Mbit/s, Netzstandard: IEEE 802.11ax. Unterstützte Sicherheitsalgorithmen: WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3, NAT Funktionalität: • Port Forwarding • Port Triggering • DMZ • UPnP. Produkttyp: Desktop-/Pol-Router





| WAN connection   |   | Ports & interfaces                              |  |
|--|---|---|--|
| Ethernet WAN *   | 1   | Ethernet LAN (RJ-45) ports *                    | 5  |
| DSL WAN *  | 1   | USB port *                                      | 1  |
| WAN connection type                                      | RJ-45   | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 1  |
| Wireless LAN features                                    |   | Management features                             |  |
| Wi-Fi band *<br>Top Wi-Fi standard *                     | Tri-band (2.4 GHz / 5 GHz / 6 GHz)<br>Wi-Fi 6E (802.11ax) | Quality of Service (QoS) support                | 1  |
| Wi-Fi standards  | Wi-Fi 6E (802.11ax)                                       | Security  |  |
| Modulation<br>Network                                    | 4096-QAM  | Security algorithms                             | WPA, WPA-Enterprise, WPA2, WPA2-<br>Enterprise, WPA3   |
|  |   | Firewall  | <ul> <li>Image: A second s</li></ul> |
| Ethernet LAN *   |   | Guest access                                    | 1  |
| Ethernet LAN interface type *<br>Ethernet LAN data rates | 2.5 Gigabit Ethernet<br>1000.2500 Mbit/s                  | Access Control List (ACL)                       | 1  |
| Networking standards                                     | IEEE 802.11ax   | DoS attack prevention                           | 1  |
| Port forwarding  | 1   | MAC address filtering                           | 1  |
| Port triggering  | 1   | DMZ support                                     | <b>v</b>   |
| Dynamic DNS (DDNS)                                       | 1   | Network address translation (NAT)               | ✓  |
| Static route   | ✓   | NAT functionality                               | <ul> <li>Port Forwarding</li> <li>Port Triggering</li> <li>DMZ</li> <li>UPnP</li> </ul>  |
| Number of guest networks (2.4<br>GHz)                    | 1   | Protocols                                       |  |
| Number of guest networks (5 GHz)                         | 1   | DHCP client                                     | 1  |
| Number of guest networks (6 GHz)                         | 1   | DHCP server                                     | 1  |
| Wireless Distribution System (WDS) bridge                | 1   | Universal Plug and Play (UPnP)                  | 1  |
| Support Samba (storage)                                  | 1   | Design  |  |
| Built-in FTP server                                      | 1   | Indication light                                | 1  |

Publication date: 24-JAN-2025. Prints or copies of Information are only valid on the printed Publication date

| Network      |  | Design                          |                     |
|--------------|--|---------------------------------|---------------------|
| VPN server   | Yes  | On/off switch                   | J                   |
| Media server | 1  | Product type *                  | Desktop/pole router |
| VPN support  | Open VPN Client • PPTP VPN Client<br>• L2TP VPN Client • WireGuard VPN | Features                        |                     |
|              | Client   | Works with Amazon Alexa         | 1                   |
|              |  | Works with the Google Assistant | 1                   |

Firmware upgradeable

1





4897098683514

4897098682180

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.