



TP-Link EAP115 WLAN Access Point 300 Mbit/s Weiß Power over Ethernet (PoE)

Marke : TP-Link

Artikel-Code: EAP115

Produktname : EAP115

TP-Link EAP115. 2,4 GHz, Maximale Datenübertragungsrate: 300 Mbit/s. Unterstützte Sicherheitsalgorithmen: 64-bit WEP, 128-bit WEP, 152-bit WEP, HTTPS, SNMP, SSH, WPA, WPA-PSK, WPA2-Enterprise, WPA2-PSK. Ethernet LAN Datentransferraten: 10,100,1000 Mbit/s. Power over Ethernet (PoE). Produktfarbe: Weiß



Merkmale		Energie	
2,4 GHz *	✓	Power over Ethernet (PoE) *	✓
5 GHz *	✗	Ausgangsspannung	9 V
Maximale Datenübertragungsrate *	300 Mbit/s	Ausgangsstrom	0,6 A
Maximale Datenübertragungsrate (2,4 GHz)	300 Mbit/s	Stromverbrauch (Standardbetrieb)	2,8 W
Ethernet LAN Datentransferraten	10,100,1000 Mbit/s	Design	
Frequenzband	2.4 - 2.4835 GHz	Platzierung *	Zimmerdecke, Wand
Netzstandard	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Produktfarbe *	Weiß
Automatische Kanalwahl	✓	Ein-/Ausschalter	✓
Ratenbeschränkung	✓	Reset-Knopf	✓
Quality of Service (QoS) Support	✓	LED-Anzeigen	✓
Empfängersensitivität	300M: -71dBm@10% PER 150M: -75dBm@10% PER 54M: -78dBm@10% PER 11M: -93dBm@8% PER 6M: -92dBm@10% PER 1M: -96dBm@8% PER	Antenne	
		Antennentyp *	Intern
		Anzahl der Antennen	2
		Antenne Zunahmehöhe (max)	4 dBi
Sicherheit		Zertifikate	
Unterstützte Sicherheitsalgorithmen *	64-bit WEP, 128-bit WEP, 152-bit WEP, HTTPS, SNMP, SSH, WPA, WPA-PSK, WPA2-Enterprise, WPA2-PSK	Zertifizierung	CE, FCC, RoHS
MAC Adressen Filtern	✓	Gewicht und Abmessungen	
Funktionen Service Set Identifier (SSID)	Hidden SSID	Breite	172,3 mm
Anzahl der SSID-Unterstützung	8	Tiefe	189,4 mm
Systemstatusalarm	✓	Höhe	29,5 mm
Zugriffskontrollliste	✓	Lieferumfang	
Management-Funktionen		Menge pro Packung	1 Stück(e)
Web-basiertes Management	✓	AC-Netzadapter	✓
		Montageset	✓
Anschlüsse und Schnittstellen		Betriebsbedingungen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	1	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
		Betriebstemperatur	0 - 40 °C
		Temperaturbereich bei Lagerung	-40 - 70 °C
		Luftfeuchtigkeit bei Lagerung	5 - 90%

Anschlüsse und Schnittstellen

WAN Port Ethernet (RJ-45), WLAN

Logistikdaten

Warentarifnummer (HS) 85176990



5704174250999

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 09-OCT-2024. Prints or copies of Information are only valid on the printed Publication date